

CHASE 1

	- Each seat shall be identified by sign or marker with international Symbol of Accessibility
---	--

### WALL LEGEND

2x6, D.F. #1 STUDS @ 16" O.C. TO 8'-0".  
WITH 5/8" GYPSUM BOARD EACH SIDE.  
- USE MOISTURE RESISTANT GYP BD @ TOILET ROOMS  
- REFER TO DETAILS 13/S402 & 14/S402.

2x4 D.F. STUDS @ 24" O.C. TO 8'-0".  
WITH 5/8" GYPSUM BOARD EACH SIDE  
- USE MOISTURE RESISTANT GYP BD @ TOILET ROOMS.  
- REFER TO DETAIL 14/S402 & SHEET S101 FOR TYPICAL DETAILS.

2x6 D.F. STUDS @ 16" O.C. TO 8'-0".  
WITH 5/8" GYPSUM BOARD EACH SIDE.  
- USE MOISTURE RESISTANT GYP BD @ TOILET ROOMS.  
- REFER TO DETAIL 14/S-402 & SHEET S101 FOR TYPICAL DETAILS.

**NEW INTERIOR WALL FLOORING:**  
 3 5/8" X 25 GA. METAL STUDS @ 24" O.C. ATTACHED TO EXIST. CMU WALL  
 - FINISH WITH WITH 5/8" GIPSUM BOARD  
 - REFER TO DETAIL 9/S101

2x STUDS AT 16" O.C.

EXISTING EXTERIOR/INTERIOR MASONRY WALL

8" CONCRETE MASONRY UNITS.

**EXISTING EXTERIOR MASONRY WALL**  
12" CONCRETE MASONRY UNITS.

16 x24" CONCRETE MASONRY PILLASTER

REVISION	DATE	DESCRIPTION
①	7/12/10	BUILDING DEPT. P. C.
②	7/12/10	TENANT'S REVISIONS
③	8/30/10	BUILDING DEPT. P. C.
④	-	-
⑤	-	-
⑥	-	-
⑦	-	-

ARCHITECTURE  
10 Riverpark Place East, #104  
Fresno, CA 93720  
(559) 485-8520  
FAX: (866) 302-2735  
EMAIL: jwarchitect@att.net