



CSLB #980409
DIR 1000004282
www.source-mme.com
Toll Free 1-888-484-9968

December 7, 2020

City of Salinas
426 Work Street
Salinas, CA 93901

Tel: 831-758-7103
garyg@ci.salinas.ca.us

Attention: Gary Gabriel, Wastewater Manager

We are pleased to provide the enclosed contract pricing sheet off the Sourcewell Contract No. 122017-AMI/VAC for the Vac-Con V312HE/1300 mounted on a new Peterbilt Model 348 truck chassis for your review.

Summary:	Complete Unit per attached Sourcewell price sheet	
	Price F.O.B. Salinas CA	\$525,190.00
	9.25% Estimated Sales Tax	48,580.08
	CA Tire Fee (10 @ \$1.75)	17.50
	Total	<u>\$573,787.58</u>

- **City's Purchase Order to be prepared and sent directly to Vac-con, Inc.**
969 Hall Park Drive, Green Cove Springs, FL 32043
M.J. Dubois (410) 924-1004 mjdubois@ducollc.com
- Pricing includes delivery and on-site training.
- Sales tax applicable at time of delivery will be shown on invoice.
- Terms per Sourcewell Program.
- Quotation valid for 30 days.

Thank you for your interest in this fine product. Should you have any questions or need additional information, please let us know. We look forward to being of service.

Sincerely,

James Wheeler,
General Manager

Enclosure



11/03/2020

COMBINATION JET/VACUUM SEWER CLEANER
SOURCEWELL CONTRACT: 122017-AMI/VAC

Customer: CITY OF SALINAS

Shipping: CALIFORNIA

Requirement Specification	
Combination jet/vacuum sewer cleaner with all standard equipment V312HE/1300	
Peterbilt Model 348 chassis with PX-9 345 HP diesel engine, 6 X 4, 66,000 GVWR, automatic transmission, and A/C	
Body mounting on Chassis	
10' Aluminum Telescoping boom with joy stick and remote pendant control (telescopes hydraulically 10' forward from the stowed position) -8" diameter intake hose and boom, travel tie down post with latch	
Front mounted articulating to Driver side hydraulic hose reel with 800' X 1" Jet Hose capacity (Standard Pivot)	
1300 Gallon polyethylene water tank capacity with 10 year warranty	
12 Cubic yard capacity debris tank 3/16" corten steel, (5 year warranty) with full opening rear door (minimum 50 degree debris tank dumping, power up and down	
Automatic vacuum breaker (prevents operation when full and contains debris when moving unit) and overflow protection	
800' of 1" 3,000 psi jet rodder hose, continuous	
3-Stage centrifugal compressor creating 200" vacuum and 0-8000 CFM	
Hydraulic tail gate door latches with hydraulic door grabber and safety latch	
Hydrostatic drive of vacuum system	
Front tow eyes	
Giant water pump rated 80 GPM @ 3000 PSI with a John Deere 6 cylinder, Tier 4 diesel, 225 HP auxiliary engine	
6" Knife valve with center post and handle	
8" Knife valve, lower rear door mounted	
A flat style rear door including hydraulic opener	

Requirement Specification	
Built in body prop, rear support frame mounted	
Two rear door drain valve flush out connection	
Rear splash guard (tank mounted 2-10 O'clock)	
Stainless steel ball on debris body level indicator	
1/4 Turn ball valve water drain	
50' capacity retractable hand gun hose reel	
Air purge system	
Debris body power flush out system, 8 jets	
Electronic Titan Style water gauge	
Hydro-X package	
Variable flow valve	
Water pump remote oil drain	
HD Level wind guide aluminum	
12VD Auxiliary hydraulic pump	
Automatic lube kit for centrifugal compressor	
Auxiliary engine control panel (lockable door)	
Auxiliary engine remote oil drain	
Centrifugal compressor quiet silencer - stainless steel construction	
Two Cone storage racks	
Grease assembly articulating hose reel	
Hydraulic system temperature gauge	
Two Long handle storage	
Plastic engraved decals	
Rear mounted tow hooks	
Remote boom grease zerk assembly	
Remote debris tank grease zerk assembly	

Requirement Specification	
Segmented Wear Back Boom Elbow	
Hand held LED spot light	
LED 4 strobes, 2 front bumper, 2 rear bumper	
LED Arrow board	
LED boom mounted flood lights with limb guards	
LED flood light mounted on level wind guide with limb guard	
Mid-body LED flood lights with guards	
LED rear mounted flood lights with limb guards	
Two LED strobes rear debris tank mounted with guards	
Mid-body LED strobes	
Two Mirror mounted LED beacon strobe lights with limb guard	
Curbside camera placement	
Driver's side camera placement	
Front hose reel camera placement	
Low water alarm with light	
Rear camera placement	
Wireless remote control	
Traffic camera with color monitor	
Hydro-X Lance assembly kit	
Additional water tank sight gauge	
10 Year Warranty on debris tank	
Bulldog nozzles, Grenade bomb 360 1"	
Curbside manifold	
Debris body screen flush out	
Ladder on rear of unit	
Lakos sand separator	

Requirement Specification	
Vac-Con to install customer supplied water meter	
1" x 20' Length leader hose	
Lazy Susan pipe rack (Holds 5 pipes)	
(2) Front bumper tool boxes 8" x 14" x 6" Aluminum	
(2) Roll out shelves for storage box behind cab	
24" x 18" x 18" Aluminum rear tool boxes (2)	
Chassis parts catalog	
Chassis operators manual	
Parts Manual on Thumb Drive	
Service Manual on Thumb Drive	
Two standard ENZ nozzles, one sanitary (egg) and one Chisel point penetrator	
ICC lighting	
Hose guide (tiger tail) for hose protection, hydrant wrench, 25' of fill hose	
20 gpm @ 600 PSI wash down system with hand gun and 25' of 1/2" hand gun hose	
Paint : Body unit : Polyurethane Elite White	
Standard striping package - Blue	
Local dealer pre delivery and inspection	
On site customer training	
Consignee Delivery	
TOTAL PRICE OFFERED TO SOURCEWELL MEMBER	\$525,190.00
Sales Tax - 9.25%	\$48,580.08
TOTAL PRICE OFFERED TO SOURCEWELL MEMBER WITH TAX	\$573,770.08

Delivery is **Days after receipt of order.**

SOURCEWELL CONTRACT NO 122017-AM/VAC

VENDOR/CONTRACT HOLDER: VAC-CON, INC.

CONTACT: M.J. DUBOIS

EMAIL

MJDUBOIS@DUCOLLC.COM

969 HALL PARK RD

GREEN COVE SPRINGS FL 32043

PH: 410-924-1004